08-Sep-16 End Time (min) Start 9:30 9:40 10 Welcome Point of care diagnostics based on organic and printed electronics 30 9:40 10:10 Anthony Killard (University of West England) 10:55 10:10 45 Flash presentation 1 Royal Society of Chemistry Publishing – supporting the global analytical 10:55 20 community 11:15 Hiromitsu Urakami (Royal Society of Chemistry) Fabrication of artificial luciferases and their applications to molecular 30 imaging 11:15 11:45 Sung Bae Kim (National Institute of Advanced Industrial Science and Technology) 11:45 12:30 45 Poster 1 12:30 14:30 120 Break 14:30 15:15 45 Flash presentation 2 Continuous Flow Chemiluminescence Approach for Dynamic Monitoring 30 of ROS Generation and Pentachlorophenol degaradation process 15:15 15:45 Lixia Zhao (Eco-Environmental Research Center, Chinese Academy of Sciences) Monitoring Malaria: Infection, Detection and the Macrophage Response 30 15:45 16:15 Alison J. Hobro (Osaka University) Nanomaterials for Bioanalytical Chemistry: Chemical Lift-Off 16:15 16:45 30 Lithography Wei-Ssu Liao (National Taiwan University) 45 Poster 2 16:45 17:30

09-Sep-16

07-5 c p-10			
Start	End	Time (min	
9:30	9:30	0	Welcome
9:30	10:15	45	Flash presentation 3
10:15	10:45	30	Combining liquid extraction surface analysis with differential ion mobility spectrometry: Tools for scratching the surface Helen J. Cooper (University of Birmingham)
10:45	11:15	30	Crystalline sponge method for single crystal X-ray analysis of trace compounds Yasuhide Inokuma (Hokkaido University)
11:15	12:00	45	Poster 3
12:00	14:00	120	Break
14:00	14:45	45	Flash presentation 4
14:45	15:15	30	Super-resolution optical imaging of living cells Sang-Hee Shim (Korea University)
15:15	16:00	45	Poster 4
16:00	16:30	30	Aptamer-based self-assembled supramolecular nanoprobes for targeting and destruction of tumor cells Xiaohai Yang (Hunan University)
16:30	17:00	30	On-chip FRET Aptasensor Built on the Graphene-biomolecular-interface Yuko Ueno and Kazuaki Furukawa (NTT Basic Research Laboratories)
17:00	17:20	20	Ceremony